

# Branding Munki & Munki Report

# Branding

Why is it so important?



Disney



Traits of positive brands

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort
- Brands portray confidence

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort
- Brands portray confidence
- Brands eliminate fear



The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort
- Brands portray confidence
- Brands eliminate fear
- Personify core values

The Disney logo in its signature script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort
- Brands portray confidence
- Brands eliminate fear
- Personify core values
- Reinforces positive behaviors

The Disney logo in its classic script font.The Nike logo, featuring the word "NIKE" in a bold, italicized sans-serif font with a swoosh underneath.The Levi's logo, consisting of the word "Levi's" in a bold, sans-serif font inside a black batwing shape.

## Traits of positive brands

- Building trust via a brand
- Claims of safety, security & stability
- Emotional comfort
- Brands portray confidence
- Brands eliminate fear
- Personify core values
- Reinforces positive behaviors
- Establishes an expectation of quality

## Trust me


*// Engaging the end user rather than hiding things from them is the best method in garnering overall user acceptance and trust.*



**[ Did he know I was going to hack him? ]**

# Managed Software Center

## Creating a custom App Icon



MacOS Icon Template

<https://www.deviantart.com/ddnava/art/MacOS-Icon-Template-645202875>



The image shows a screenshot of a Mac OS X desktop environment. The background is a scenic landscape with rolling sand dunes under a blue sky with scattered clouds. In the foreground, a Finder window is open, displaying a sidebar on the left with various system folders like 'Applications', 'Desktop', and 'Documents'. The main pane shows a list of files, with one file selected. To the right of the file list is a preview pane showing a blue circular icon and some text. At the bottom of the window, the system status bar is visible, showing the date and time.

File Name	Size	Date Modified
Mac User Templates.pdf	100 KB	Nov 1, 2011
Mac User Templates.pdf	100 KB	Nov 1, 2011
Mac User Templates.pdf	100 KB	Nov 1, 2011
Mac User Templates.pdf	100 KB	Nov 1, 2011
Mac User Templates.pdf	100 KB	Nov 1, 2011
Mac User Templates.pdf	100 KB	Nov 1, 2011

**Mac User Templates.pdf**  
100 KB (100,000 bytes)

Type: PDF Document  
Created: 11/01/11 8:00 AM  
Modified: Today, 8:15 AM  
Last opened: Today, 8:14 AM  
Dimensions: 812 x 1012  
[Show More](#)

# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>





# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Showcase

# Munki Showcase

```
1 <script type="text/javascript">
2 var currentSlide = 0, playing = 1
3
4 function slides(){
5     return document.querySelectorAll('div.stage>img')
6 }
7
8 function showSlide(slideNumber){
9     theSlides = slides()
10    for (c=0; c<theSlides.length; c++) {
11        theSlides[c].style.opacity="0";
12    }
13    theSlides[slideNumber].style.opacity="1";
14 }
15
16 function showNextSlide(){
17    if (playing) {
18        currentSlide = (currentSlide > slides().length-2) ? 0 : currentSlide + 1;
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Sidebar

```
1 <div class="sidebar">
2   <div class="chart titled-box quick-links">
3     <h2>Quick Links</h2>
4     <div class="content">
5       <ol class="list">
6         <li class="link user-link"><a href="#">Welcome</a></li>
7         <li class="link user-link"><a href="#">Support</a></li>
8         <li class="separator"><hr/></li>
9         <li class="popup">
10          <div class="select links">
11            <label>
12              <span></span>
13              <select id="category-selector" onchange="category_select()">
14                ${category_items}
15              </select>
16            </label>
17          </div>
18        </li>
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Sidebar

```
1 <div class="sidebar">
2   <div class="chart titled-box quick-links">
3     <h2>Quick Links</h2>
4     <div class="content">
5       <ol class="list">
6         <li class="link user-link"><a href="#">Welcome</a></li>
7         <li class="link user-link"><a href="#">Support</a></li>
8         <li class="separator"><hr/></li>
9         <li class="popup">
10          <div class="select links">
11            <label>
12              <span></span>
13              <select id="category-selector" onchange="category_select()">
14                ${category_items}
15              </select>
16            </label>
17          </div>
18        </li>
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Sidebar

```
1 <div class="sidebar">
2   <div class="chart titled-box quick-links">
3     <h2>Quick Links</h2>
4     <div class="content">
5       <ol class="list">
6         <li class="link user-link"><a href="#">Welcome</a></li>
7         <li class="link user-link"><a href="#">Support</a></li>
8         <li class="separator"><hr/></li>
9         <li class="popup">
10          <div class="select links">
11            <label>
12              <span></span>
13              <select id="category-selector" onchange="category_select()">
14                ${category_items}
15              </select>
16            </label>
17          </div>
18        </li>
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>





# Munki Sidebar

```
1 <div class="sidebar">
2   <div class="chart titled-box quick-links">
3     <h2>Quick Links</h2>
4     <div class="content">
5       <ol class="list">
6         <li class="link user-link"><a href="#">Welcome</a></li>
7         <li class="link user-link"><a href="#">Support</a></li>
8         <li class="separator"><hr/></li>
9         <li class="popup">
10          <div class="select links">
11            <label>
12              <span></span>
13              <select id="category-selector" onchange="category_select()">
14                ${category_items}
15              </select>
16            </label>
17          </div>
18        </li>
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Sidebar

```
1 <div class="sidebar">
2   <div class="chart titled-box quick-links">
3     <h2>Quick Links</h2>
4     <div class="content">
5       <ol class="list">
6         <li class="link user-link"><a href="#">Welcome</a></li>
7         <li class="link user-link"><a href="#">Support</a></li>
8         <li class="separator"><hr/></li>
9         <li class="popup">
10          <div class="select links">
11            <label>
12              <span></span>
13              <select id="category-selector" onchange="category_select()">
14                ${category_items}
15              </select>
16            </label>
17          </div>
18        </li>
```



Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



# Munki Footer

```
1 <div class="bottom-links">
2   <ul class="list" role="presentation">
3     <li><a target="_blank" href="http://www.apple.com">Apple</a></li>
4     <li><a target="_blank" href="http://www.google.com">Google</a></li>
5     <li><a href="updates.html">Updates</a></li>
6   </ul>
7 </div>
```

## Bundle & Deploy



```
1 zip -r site_default.zip resources/ templates/
```





Custom Banners & Code

<https://github.com/munki/munki/wiki/Client-Customization>



























































# Next Level Theming

```
1 #!/bin/bash
2
3 appname='The Grove' # Name of your App
4 workingdir='/Users/jon/Desktop/munki-theme' ## Where is the script located
5 signcert='Developer ID Installer: Jonathan Brown (2D4Z7WQ7RS)' # Name of your Developer Certificate
6 icon='icon_512x512@2x.png' #name of icon file
7
8 mid='/munki/code/apps/Managed Software Center/Managed Software Center'
9 fullpath='/munki/code/apps/Managed Software Center/Managed Software Center/Resources/WebResources'
10 templatepath='/munki/code/apps/Managed Software Center/Managed Software Center/Resources/templates'
11 resources='/munki/code/apps/Managed Software Center/Managed Software Center/Resources/'
12 controllers='/munki/code/apps/Managed Software Center/Managed Software Center/Controllers'
13
14 cd $workingdir
15
16 git clone https://github.com/munki/munki
17
18 #Unlocking File
```



## Munki Custom Theme

<https://github.com/grovetech/munki-theme>





# Next Level Theming

```
1 #Unlocking File
2 sudo chflags -R nouchg "$workingdir$fullpath/base.css"
3
4 #Making writeable
5 sudo chmod 777 "$workingdir$fullpath/base.css"
6
7 #Adding Custom CSS
8 cd "$workingdir$fullpath"
9 echo "$(echo "@import 'custom.css';" | cat - base.css)" > base.css
10
11 #Copy CSS Files
12 sudo cp "$workingdir/Dark-Theme/custom.css" "$workingdir$fullpath"
13 sudo rm "$workingdir$templatepath/detail_more_items_template.html"
14 sudo cp "$workingdir/Dark-Theme/detail_more_items_template.html" "$workingdir$templatepath"
15
16 #Modify PY Script
17 sudo rm "$workingdir$mid/mshtml.swift"
18 sudo cp "$workingdir/Dark-Theme/mshtml.swift" "$workingdir$mid/mshtml.swift"
```



## Munki Custom Theme

<https://github.com/grovetech/munki-theme>



# Next Level Theming

```
1 #Unlocking File
2 sudo chflags -R nouchg "$workingdir$fullpath/base.css"
3
4 #Making writeable
5 sudo chmod 777 "$workingdir$fullpath/base.css"
6
7 #Adding Custom CSS
8 cd "$workingdir$fullpath"
9 echo "$(echo "@import 'custom.css';" | cat - base.css)" > base.css
10
11 #Copy CSS Files
12 sudo cp "$workingdir/Dark-Theme/custom.css" "$workingdir$fullpath"
13 sudo rm "$workingdir$templatepath/detail_more_items_template.html"
14 sudo cp "$workingdir/Dark-Theme/detail_more_items_template.html" "$workingdir$templatepath"
15
16 #Modify PY Script
17 sudo rm "$workingdir$mid/mshtml.swift"
18 sudo cp "$workingdir/Dark-Theme/mshtml.swift" "$workingdir$mid/mshtml.swift"
```



## Munki Custom Theme

<https://github.com/grovetech/munki-theme>



# Next Level Theming

```
1 #Modify PY Script
2 sudo rm "$workingdir$mid/mshtml.swift"
3 sudo cp "$workingdir/Dark-Theme/mshtml.swift" "$workingdir$mid/mshtml.swift"
4 #perl -pi -w -e 's{func buildCategoriesPage}{func buildCategoriesPageOLD}g' "$workingdir$mid/mshtml.swift"
5 #cat "$workingdir/Dark-Theme/modification.py" >> "$workingdir$mid/mshtml.swift"
6
7 #Modify Window Size
8 perl -pi -w -e 's{<value key="minSize" type="size" width="1000" height="475"/>}{<value key="minSize" type="size
9
10 #Modify icons
11 perl -pi -w -e 's{updatesTemplate.pdf}{updatesTemplate.png}g' "$workingdir$controllers/MainWindowController.swi
12 sudo rm -rf "$workingdir$resources/toolbarCategoriesTemplate.pdf"
13 sudo rm -rf "$workingdir$resources/updatesTemplate.png"
14 sudo rm -rf "$workingdir$resources/MyStuffTemplate.png"
15 sudo rm -rf "$workingdir$resources/AllItemsTemplate.png"
16 sudo cp "$workingdir/Dark-Theme/toolbarCategoriesTemplate.pdf" "$workingdir$resources"
17 sudo cp "$workingdir/Dark-Theme/AllItemsTemplate.png" "$workingdir$resources"
18 sudo cp "$workingdir/Dark-Theme/MyStuffTemplate.png" "$workingdir$resources"
```



Munki Custom Theme

<https://github.com/grovetech/munki-theme>



# Next Level Theming

```
1 #Modify PY Script
2 sudo rm "$workingdir$mid/mshtml.swift"
3 sudo cp "$workingdir/Dark-Theme/mshtml.swift" "$workingdir$mid/mshtml.swift"
4 #perl -pi -w -e 's{func buildCategoriesPage}{func buildCategoriesPageOLD}g' "$workingdir$mid/mshtml.swift"
5 #cat "$workingdir/Dark-Theme/modification.py" >> "$workingdir$mid/mshtml.swift"
6
7 #Modify Window Size
8 perl -pi -w -e 's{<value key="minSize" type="size" width="1000" height="475"/>}{<value key="minSize" type="size
9
10 #Modify icons
11 perl -pi -w -e 's{updatesTemplate.pdf}{updatesTemplate.png}g' "$workingdir$controllers/MainWindowController.swi
12 sudo rm -rf "$workingdir$resources/toolbarCategoriesTemplate.pdf"
13 sudo rm -rf "$workingdir$resources/updatesTemplate.png"
14 sudo rm -rf "$workingdir$resources/MyStuffTemplate.png"
15 sudo rm -rf "$workingdir$resources/AllItemsTemplate.png"
16 sudo cp "$workingdir/Dark-Theme/toolbarCategoriesTemplate.pdf" "$workingdir$resources"
17 sudo cp "$workingdir/Dark-Theme/AllItemsTemplate.png" "$workingdir$resources"
18 sudo cp "$workingdir/Dark-Theme/MyStuffTemplate.png" "$workingdir$resources"
```



Munki Custom Theme

<https://github.com/grovetech/munki-theme>



# Next Level Theming

```
1 #Modify PY Script
2 sudo rm "$workingdir$mid/mshtml.swift"
3 sudo cp "$workingdir/Dark-Theme/mshtml.swift" "$workingdir$mid/mshtml.swift"
4 #perl -pi -w -e 's{func buildCategoriesPage}{func buildCategoriesPageOLD}g' "$workingdir$mid/mshtml.swift"
5 #cat "$workingdir/Dark-Theme/modification.py" >> "$workingdir$mid/mshtml.swift"
6
7 #Modify Window Size
8 perl -pi -w -e 's{<value key="minSize" type="size" width="1000" height="475"/>}{<value key="minSize" type="size
9
10 #Modify icons
11 perl -pi -w -e 's{updatesTemplate.pdf}{updatesTemplate.png}g' "$workingdir$controllers/MainWindowController.swi
12 sudo rm -rf "$workingdir$resources/toolbarCategoriesTemplate.pdf"
13 sudo rm -rf "$workingdir$resources/updatesTemplate.png"
14 sudo rm -rf "$workingdir$resources/MyStuffTemplate.png"
15 sudo rm -rf "$workingdir$resources/AllItemsTemplate.png"
16 sudo cp "$workingdir/Dark-Theme/toolbarCategoriesTemplate.pdf" "$workingdir$resources"
17 sudo cp "$workingdir/Dark-Theme/AllItemsTemplate.png" "$workingdir$resources"
18 sudo cp "$workingdir/Dark-Theme/MyStuffTemplate.png" "$workingdir$resources"
```



## Munki Custom Theme

<https://github.com/grovetech/munki-theme>



# Next Level Theming

```
1 cd $workingdir/munki
2
3 ./code/tools/make_munki_mpkg.sh
4
5 cd ..
6
7 git clone https://github.com/ox-it/munki-rebrand.git
8
9 cd munki-rebrand/
10
11 echo -n "What is the pkg name that was just built? "
12 read result
13 mid='/munki/'
14 full_pkg_path="$workingdir$mid$result"
15
16 sudo ./munki_rebrand.py --appname "$appname" --pkg "$full_pkg_path" --icon-file "$workingdir/$icon" --sign-pack
```



## Munki Custom Theme

<https://github.com/grovetech/munki-theme>





# Next Level Theming

```
1 cd $workingdir/munki
2
3 ./code/tools/make_munki_mpkg.sh
4
5 cd ..
6
7 git clone https://github.com/ox-it/munki-rebrand.git
8
9 cd munki-rebrand/
10
11 echo -n "What is the pkg name that was just built? "
12 read result
13 mid='/munki/'
14 full_pkg_path="$workingdir$mid$result"
15
16 sudo ./munki_rebrand.py --appname "$appname" --pkg "$full_pkg_path" --icon-file "$workingdir/$icon" --sign-pack
```





## Munki Custom Theme



<https://github.com/grovetech/munki-theme>



























The Grove






Search

MY ITEMS

BBEDIT





# Munki Report

## What can you actually customize?





# Add Logo


```
1
2 /* Add custom CSS here */
3 @import url('https://fonts.googleapis.com/css?family=Poppins:400,600');
4 @import url('https://grovetech.co/assets/fonts/grovetech.eot?q519sv');
5 @import url('https://grovetech.co/assets/fonts/grovetech.eot?q519sv#iefi');
6 @import url('https://grovetech.co/assets/fonts/grovetech.ttf?q519sv');
7 @import url('https://grovetech.co/assets/fonts/grovetech.woff?q519sv');
8 @import url('https://grovetech.co/assets/fonts/grovetech.svg?q519sv#grovetech');
9 @import url('https://fonts.googleapis.com/css?family=Poppins&display=swap');
10
11 @font-face {
12   font-family: 'grovetech';
13   src: url('https://grovetech.co/assets/fonts/grovetech.eot?q519sv');
14   src: url('https://grovetech.co/assets/fonts/grovetech.eot?q519sv#iefix') format('embedded-opentype'),
15       url('https://grovetech.co/assets/fonts/grovetech.ttf?q519sv') format('truetype'),
16       url('https://grovetech.co/assets/fonts/grovetech.woff?q519sv') format('woff'),
17       url('https://grovetech.co/assets/fonts/grovetech.svg?q519sv#grovetech') format('svg');
18   font-weight: normal;
```



## MunkiReport Custom CSS

<https://gist.github.com/grovetech/ce1628a423353e9dd09fdf53cdc01322>



Grove Technologies 



Username

Password

MunkiReport Version 4.1.3.3761

Modified  
Logo



Removed  
Version

 GROVE TECHNOLOGIES <sup>SM</sup> 

Username

Password



Grove Technologies  



Username

Password

MunkiReport Version 4.1.3.3761

Modified  
Logo


Removed  
Version

 GROVE TECHNOLOGIES <sup>SM</sup> 

Username


Password






Modified  
Logo


Removed  
Version






Modified  
Logo


Removed  
Version






Modified  
Logo


Removed  
Version






Modified  
Logo


Removed  
Version






Modified  
Logo

Removed  
Version





# Modified Logo



# Modified Logo




Grove Technologies Dashboard Reports Listings Admin

Client Activity

Events

GROVE TECHNOLOGIES<sup>SM</sup> Dashboard Reports Listings Admin



# Modified Logo



Grove Technologies Dashboard Reports Listings Admin

Client Activity Events



GROVE TECHNOLOGIES<sup>SM</sup> Dashboard Reports Listings Admin



